## Uputstvo za instalaciju IDProtect Middlware-a

Kada instalirate IDProtect klijent za podršku PIN katica, postoje 2 instalacione metode:

- Microsoft Base CSP: Instalira Microsoft Bse Smart Card CSP kao podrazumijevani CAPI (minidrajver). Takođe se instalira PKCS#11, "Anthena Key Storge Provider" (Anthena KSP), IDProtect Format Tool, IDProtect Mnager, Opcije i PIN alate.
- Custom: Dozvoljava odabir određenih stavki. Npr, dozvoljeno je NXP IDProtect klijent middleware komponentama CSp da budu setovani kao podrazumijevani CAPI provajder. Nepotrbno je da instalirate doumetaciju (Documentation) ili razne alate različitim korisničkim PC-evima. PIN kartice ne zahtijevaju instalaciju Biometric podrške, iometric RDP i Cirix biomtrik kompenente.

IDProtect klijent podržava x86 i x64 bitne operativne sisteme i zadnje verzije servis paketa za svaki operativni sistem. Da bi instalirali na x86 operativnom sistemu, pokrenite setup.exe instalaciju ili koristite IDProtectClient.msi. Za instalaciju na x64 operativnom sistemu, pokrenite setupx64.exe instalacioni program ili koristite IDProtectClientx64.msi.

Pokretanjem instalacionog programa (na dvoklik) pratite sledeće korake:

1. U instalacionom čarobnjaku odaberite Next:



2. Čekiraje dolje označeno polje I accept the terms in the license agreement:

🕼 IDProtect Client 7.56.02 - InstallShield Wizard	×
License Agreement	
NXP Semiconductors Netherlands B.V.	^
SOFTWARE LICENSE AGREEMENT	
READ THIS AGREEMENT CAREFULLY BEFORE CONTINUING WITH THE INSTALLATION OF THE SOFTWARE.	
ALL USE OF SOFTWARE OF NXP SEMICONDUCTORS NETHERLANDS B.V. OR ANY OF ITS AFFILIATES (COLLECTIVELY, "NXP"), ARE AND SHALL BE SUBJECT TO THE TERMS AND CONDITIONS SET FORTH IN THIS AGREEMENT. BY INSTALLING THE SOFTWARE (AS DEFINED HEREUNDER) ON YOUR COMPUTER AND/OR BY USING THE SOFTWARE, YOU ARE ACCEPTING THIS AGREEMENT AND AGREEING TO BE BOUND BY ITS TERMS. IF YOU ARE NOT WILLING TO BE BOUND BY THE TERMS OF THIS AGREEMENT, YOU SHOULD	~
• I accept the terms in the license agreement $\bigcirc$ I do not accept the terms in the license agreement	
InstallShield	
< <u>B</u> ack <u>N</u> ext > Cancel	

3. Od ove dvije instalacione metode, mi ćemo instalaciju odraditi sa **Typical Microsoft CSP** – u ovoj metodi imamo sve šta nam je neopodno da bi koristili naše cerifikate instalirane na eLK:



## 4. **Custom** postavke:

🕼 IDProtect Client 7.56.02 - Setup			×
Setup Type			
Please select a setup type.			1 mm
Please select a setup type.			
◯ <u>Typical Microsoft CSP</u>			
Typical program feature	es will be installed.	(Microsoft CSP).	
Choose which program be installed. Recommen	features you want in ded for advanced u	nstalled and where t sers.	hey will
TectallChield			<u>C</u> hange
חופונוכוווקות	c De els	Nexts	Canad
	< <u>B</u> ack	<u>N</u> ext >	Cancel

4.1 Pogledajte koje su postavke ponuđene – pored trenutno blokiranih opcija, možete blokirati i Documentation i ukoliko ne koristite Mozila Firefox pretraživač ne morate instalirati "Install in Mozilla Firefox" – ostale funkcionalnosti nemojte dirati jer su neophodne za rad Smart čitača sa Elektronskom Ličnom kartom:

🕼 IDProtect Client 7.56.02 - InstallShield	l Wizard		×
Custom Setup Select the program features you want inst	alled.		44
Click on an icon in the list below to change he Set NXP as Default Provider Documentation Tools DProtect Manager DProtect Monitor DProtect PINTool NXP KSP Support Install in Mozilla Firefox	ow a feature is inst	alled. Feature Descripti When set, the N are set as the de otherwise the Mi KSP Providers wi default. This feature requ hard drive.	on KP CSP and KSP ifault Providers, crosoft CSP and II be set as the uires 0KB on your
Install to:			
InstallShield			<u>C</u> hange
Help	< <u>B</u> ack	<u>N</u> ext >	Cancel

**Napomena:** Da bi formatirali, reformatirali, promijenili PIN i podesili ostala dostupna svojstva kartice, IDProtect alat (**Tools**) za format mora biti instaliran. Ovo je bitno da znate jer prilikom prvog korišćenja Vaše eLK kartice moraćete da promjenite PIN koji vam je došao i podesiti novi PIN koji Vi želite.

4.2 Ukoliko želite da neku stavku isključite iz procesa instalacije, pored te stavke kliknite lijevim klikom miša i odaberite "**This feature will not be available**." kao na sledećoj slici:

ustom Setup Select the program features you	want installed.		
lick on an icon in the list below to	change how a feature is ins	talled. Feature Description	n
Documentation Tools IDProtect Mana DProtect Monit DProtect PINTc NXP KSP Support Install in Mozilla Firef	ger or ool	Automatically install NXP PKCS #11 Module in Mozilla Firefox. This feature requires 1394KB o your hard drive.	
This feature will be This feature, and a Inst This feature will no	e installed on local hard o Il subfeatures, will be ins ot be available.	drive. talled on local hard	drive.
C:\Program Files (x86)\NXP Se	miconductors\IDProtect Clier	nt\	<u>C</u> hange
Heln	< Pack	Novt >	Cancol

5. Mi ćemo instalaciju nastaviti sa prvom instalacionom metodom (Typical Microsoft CSP), nakon završene instalacije odaberite **Finish**:



## Pristup IDProtect-u

Instalirani IDProtect klijent možete naći među skrivenim ikonicama pored sata na vašem računaru:



Klikom na nju možete odabrati opciju **Menadžer** i ukoliko ste priključili Vaš Smart Card čitač dobićete sledeći prozor:

4 4 2	Ì C		
	Opšte Certifikati & Ključ	ševi	
Identiv uTru	Naziv kartice	Nema kartice	
	Oznaka kartice		
	Stanje kartice		
	Verzija OS-a		
	Serjski broj		
dentiv arra	Ukupna memorija		
	Ukupno slobodne mem		
	Biometrija omogućena		

Posle uspješne instalacije IDProtect Middleware-a možete preći na uputstvo za Promjenu PIN-a, ovdje.