

CREPIDI-CENTAURETUM KOTSCHYANAE

Asocijacija

Lokalitet:

Ekološka karakteristika:

Nadmorska visina u m	1890	1895	1875	1870	1850	1850	1820	1550			
Eksponicija	S	S	S-SO	S	S-SO	S	S	SW			
Nagib u stepenima	15	20	10	5	25	20	20	25			
Pokrovnost u %	100	100	100	100	98	100	100	100			
Veličina snimke u m ²	100	100	100	100	100	150	100	100			
Redni broj snimke	1	2	3	4	5	6	7	8			

Karakteristične vrste asocijacije:

	3.3	3.3	2.2	2.2	2.2	2.2	—	1.3	7	alp.-balc.	H
<i>Crepis conyzifolia</i> var. <i>montenegrina</i>	—	—	2.2	1.2	—	+2	1.2	2.2	12	sud. din.	H
<i>Trifolium alpestre</i> var.	—	—	—	2.2	1.2	4.4	3.3	+	—	sud. din.	H
<i>Centaura kotschyanae</i> var. <i>diversifolia</i>	—	—	—	—	+	+	—	+	—	w-est. sud. alp.-balc.	H

Karakteristične vrste svezne i reda:

(<i>Campanulion albanie foed. nova</i> , <i>Crepidetalia dinarici ordo novus</i>)											
<i>Campanula albanica</i>	1.1	1.2	1.2	2.2	1.1	1.2	1.1	—	7	sud. din.	H
<i>Festuca rubra</i> var. <i>fallax</i>	2.2	—	1.2	2.2	1.2	1.2	1.2	2.3	7	no-subocean.	H
<i>Ceratium lanigerum</i> var. <i>durmitureum</i>	+	1.1	1.2	1.2	1.1	1.2	+	+3	8	sud. din.	H
<i>Dianthus crenatus</i> var.	1.2	+	1.1	1.2	1.1	1.1	1.2	+	8	balc.	H
<i>Briza media</i> var.	—	1.2	2.2	1.2	2.2	2.2	3.3	1.2	7	uras.	H
<i>Thymus serpyllum</i> var.	2.2	2.2	1.2	1.2	—	—	1.2	1.3	6	uras. cont.	Ch
<i>Asperulo cynanchica</i> subsp. <i>densiflora</i>	—	+2	+	1.2	1.2	2.2	1.2	—	6	smed.	H
<i>Anthyllis vulneraria</i> subsp. <i>alpestris</i>	—	—	+	1.2	1.2	—	1.2	—	5	smed.-subalp.	H
<i>Verbascum nikolai</i> x <i>durmitureum</i>	+	—	+	—	—	+	—	—	5	sud. din.	H
<i>Carduus defloratus</i> var.	—	—	—	+2	+	+2	—	—	4	pralp. (-med.)	H
<i>Gentiana lutea</i> subsp. <i>sympyndra</i>	—	—	—	+	—	1.2	1.3	—	4	pralp.-alp.	H
<i>Campanula glomerata</i> var.	—	—	—	—	1.1	—	—	1.2	4	uras.-smed.	H
<i>Festuca pungens</i> f. <i>albanica</i>	—	—	—	—	—	—	—	—	3	sud. din.	H
<i>Bupleurum sibiricum</i> var. <i>orbelicum</i>	—	—	—	—	1.2	1.2	—	—	3	balc.	H
<i>Pedicularis verticillata</i> var.	—	—	—	—	—	—	—	—	—	*	

Karakteristične vrste klase:

(<i>Edyno restierietae</i> Br.-Bl. 48)											
<i>Myosotis alpestris</i>	+	—	+	—	1.1	+	—	—	4	aret. alp., circ.	H
<i>Anthoxanthum odoratum</i> f.	1.2	1.2	2.2	2.2	1.2	—	1.2	—	5	circumbor.	H
<i>Ranunculus montanus</i> var.	1.2	—	1.2	—	1.2	—	1.2	—	4	alp.	H
<i>Euphrasia liburnica</i> var.	—	—	+2	—	1.2	—	—	+2	4	balc.	H
<i>Alchemilla vulgaris</i> var.	—	—	—	—	—	—	—	—	2	not-uras. (pralp.)	H
<i>Stachys alpina</i> var.	—	—	1.2	—	2.2	—	—	1.3	5	pralp.	H
<i>Chrysanthemum leucanthemum</i> var.	—	—	—	—	—	—	—	—	5	uras.-subocean.	H

Pratilice:

<i>Scabiosa columbaria</i> var.	—	—	1.2	1.2	2.2	2.2	2.2	—	5	smed.-subatl.	H
<i>Agrostis tenuis</i> var.	3.3	3.3	2.2	3.3	+2	2.2	1.2	2.2	8	no-uras.-subocean.	H
<i>Silene sendtneri</i>	—	+	+	1.1	1.1	—	—	—	5	balc.	H
<i>Knautia dinarica</i>	—	—	+2	—	1.2	—	—	+3	4	din.	H
<i>Gentiana crassata</i> var.	—	1.1	—	+	—	—	—	—	2	balc.-app.	H
<i>Trifolium pratense</i> f.	—	—	—	—	1.2	—	—	+2	2	subcosm.	T
<i>Latyrus filiformis</i> var. <i>ensifolius</i>	—	—	1.2	2.2	1.2	2.2	—	—	5	smed. (-pralp.)	H
<i>Veronica austriaca</i> subsp.	—	—	—	1.1	—	+	—	—	5	euro. cont.	H
<i>Campanula abietina</i>	—	—	—	—	—	—	—	—	2	sud. din.	Ch
<i>Silene cucubalus</i> var.	—	—	—	+2	—	—	—	—	2	no-uras.-smed.	H(Ch)
<i>Phyteuma orbiculare</i> var.	—	—	—	1.2	—	—	+2	—	4	w-est. cent.-eur.	H
<i>Hieracium povichii</i> var.	—	—	1.2	—	—	1.2	—	+2	4	balc.	H
<i>Galium mollugo</i> var.	—	—	—	—	—	—	—	—	4	uras. (subocean.)	H
<i>Phleum alpinum</i>	—	—	—	—	—	—	—	—	4	arct. alp., circ.	H
<i>Lotus corniculatus</i>	—	—	—	+2	—	—	—	—	4	uras.-subocean.-smed.	H
<i>Vicia cracca</i> var.	—	—	—	—	—	—	—	—	2	no-uras.	H
<i>Dactylis glomerata</i>	—	—	—	—	—	—	—	—	2	sud. din.	H
<i>Pancalia serbica</i>	—	—	—	—	—	—	—	—	2	balc.	H
<i>Scorsonera rosea</i>	—	—	—	—	—	—	—	—	2	uras. (-smed.)	H
<i>Linum capitatum</i>	—	—	—	—	—	—	—	—	1	sud. din.	H
<i>Poa violacea</i>	—	—	—	—	—	—	—	—	1	balc.-app.	H(T)
<i>Luzula albidii-eritranthema</i>	+2	+2	—	—	—	1.2	—	—	4	oroph. sud.-europ.	H
<i>Luzula campestris</i>	—	—	1.2	—	—	—	—	—	1	euro.	H
<i>Hypericum rumelicum</i> var.	1.2	—	1.2	—	—	—	+2	—	5	uras. (subocean.), circ.	H
<i>Rumex acetosa</i>	—	—	1.2	—	—	—	1.1	—	4	o-bal.	H
<i>Meum athamaticum</i>	—	—	—	—	—	—	—	—	4	no-uras., circ.	H
<i>Vaccinium myrtillus</i> v.r.	2.2	—	—	—	1.2	—	+2	—	3	subatl.	H
<i>Genista germanica</i>	1.1	+2	—	—	—	—	—	—	3	circumbor.	Ch(Pn)
<i>Primula intricata</i>	1.2	—	—	—	—	—	—	—	3	cent. eur.	Pn
<i>Veratrum album</i> var. <i>viride</i>	—	—	1.2	—	—	—	—	—	3	oroph. medit.	H
<i>Brachypodium pinatum</i> var.	—	—	—	—	—	—	—	—	3	arct.-alp., (circ.)	H
<i>Potentilla aurea</i> var.	—	—	—	—	—	+2	1.3	—	2	uras. (cont.)-smed.	H(Ch)
<i>Genista sagittalis</i>	1.2	1.2	—	—	—	—	—	—	2	alp.	H
<i>Hieracium pilosella</i>	—	—	—	+2	+2	—	+2	1.3	2	smed.-subatl. (-pralp.)	H
<i>Achillea atrata</i> var.	—	—	—	1.2	—	—	—	—	3	no-uras.-subocean.	H
	—	—	—	—	—	—	—	—	2	o-alp.-balc.	H