

Lilianae

(monokotiledone)

Komelinide

Arecales (Arecaceae)


Commeliniales (Commelinaceae)

Poales (Bromeliaceae, Poaceae, Cyperaceae,
Juncaceae, Sparganiaceae, Typhaceae)


Zingiberales (Cannaceae, Musaceae, Zingiberaceae)

Nativni predstavnici


© E.M. Armstrong 2003




Poaceae



Cyperaceae



Juncaceae



**Cvast
terminalna**

Juncus articulatus





Juncus acutus

**Cvast
prividno
terminalna, tj.
nadvisuje je
brakteja koja
liči na stablo**

**Cvjetovi u gustim
glavičastim klasićima**



Luzula campestris



**Antere duže od
filamenta**



**Prijvjezak na
sjemenu- kraći
od sjemena.**



**Cvjetovi
sakupljeni u
čuperke**



Luzula sylvatica

**Cvast znatno nadvisuje
brakteje.
Donji listovi do 7mm široki**

Cyperaceae



Schoenus nigricans



P₃₊₃ A₃ G(3)




Eleocharis palustris




Holoschoenus vulgaris



P0 A3 G(3)




P0 A3 G(3)



Cyperus capitatus





Muški klasić

Ženski klasići

Dva muška klasića u vršnom dijelu, a ženski klasići su na drškama

vrećica

♀ cvijet u pazuhu brakteje

♂ cvijet u pazuhu brakteje



Carex flacca