


GRAFIKA

1. Program kreira formu koja na sebi ima dva *check* dugmeta, jednu labelu i dva komandna dugmeta. Prvo *check* dugme treba da omogući aktivnost prvog komandnog dugmeta, a drugo aktivnost drugog. Klikom na prvo dugme korisniku se otvara dijalog – prozor, koji od njega traži da unese neku riječ. Tu riječ program treba da ispiše na labeli dugmeta. Klikom na drugo dugme potrebno je na labeli ispisati tekst koji se nalazi na prvom dugmetu.



```
package dugme;
import java.awt.*;
import java.awt.event.*;
import javax.swing.*;

public class Dugme {
    public static void main(String[] args){
        ButtonFrame frame = new ButtonFrame();
    }
}
class ButtonFrame extends JFrame {
    public ButtonFrame() {
        JButton D1 = new JButton("1. Dugme");
        JButton D2 = new JButton("2. Dugme");
        JLabel L1=new JLabel();
        JCheckBox C1=new JCheckBox("I dugme");
        JCheckBox C2=new JCheckBox("II dugme");
        Container sp=ContentPane();
        sp.setLayout(null);
        setTitle("Dugme");
        setSize(200,250);
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        setVisible(true);
        this.add(D1);this.add(D2);
        this.add(C1);this.add(C2);this.add(L1);
        D1.setBounds(20,30,90,20);
        D2.setBounds(20,70,90,20);
        L1.setBounds(70,120,60,20);
        C1.setBounds(120,30,90,20);
        C2.setBounds(120,70,90,20);
        L1.setText("");
        PritisakDugmeta Ak1 = new PritisakDugmeta(D1,C1);
        PritisakDugmeta1 Ak2 = new PritisakDugmeta1(D2,D1,C2,L1);
        D1.addActionListener(Ak1);
        D2.addActionListener(Ak2);
    }
}
class PritisakDugmeta implements ActionListener{
    JButton D;
    JCheckBox C;
    PritisakDugmeta(JButton A,JCheckBox B) {
        D=A;
        C=B;
    }
    public void actionPerformed(ActionEvent e) {
        if(C.isSelected()==true) {
```


```

String b = JOptionPane.showInputDialog(null,"Unesite ime dugmeta", "Ime
dugmeta",JOptionPane.WARNING_MESSAGE );
D.setText(b);
}
}
}
class PritisakDugmeta1 implements ActionListener {
JButton D,D1;
JCheckBox C;
JLabel L;
PritisakDugmeta1(JButton A, JButton A1, JCheckBox B, JLabel B1) {
D=A;
C=B;
L=B1;
D1=A1;
}
public void actionPerformed(ActionEvent e) {
if(C.isSelected()==true) L.setText(D1.getText());
}
}

```

2. Kada korisnik pokrene program kreira se prozor koji na sebi ima jednu labelu i jedno tekstualno polje.

- Prilikom pokretanja programa reagujemo na događaj koji prozor generiše prilikom njegovog otvaranja. Korisniku se pojavi *input dialog box* u koji se unese određeni string. Klikom na dugme OK sa dijalog prozora upisani tekst se ispisuje na labeli.
- Kada kliknemo dva puta realizujemo događaj na miša (*mouseEvent*) kojim aktiviramo *input box*. Ono što tada upišemo u *input box* upisuje se pritiskom na dugme OK u tekstualno polje.



```

import java.awt.*;
import java.awt.event.*;
import javax.swing.*;
public class TestWindowListener {
    public static void main(String[] args){
        SmartFrame frame = new SmartFrame();
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE );
        frame.setVisible(true);
    }
}
class SmartFrame extends JFrame{
    JLabel L1 = new JLabel();
    JTextField T1 = new JTextField(20);
    public SmartFrame() {
        setTitle("Prozor !?");
        setSize(300,200);
        WindowListener a = new adapter(L1);
        setLayout(new BorderLayout());
        addWindowListener(a);
        addMouseListener(new MouseHandler(T1));
        add(BorderLayout.NORTH,L1);
        add(BorderLayout.SOUTH,T1);
    }
}

```

```

class adapter extends WindowAdapter {
    JLabel l;
    adapter (JLabel b){
        l=b;
    }
    public void windowOpened(WindowEvent e){
        String s= JOptionPane.showInputDialog(null, "Unesite
text", "Text",JOptionPane.WARNING_MESSAGE);
        if(s != null)
            l.setText(s);
    }
}
class MouseHandler extends MouseAdapter {
    JTextField t;
    MouseHandler (JTextField c ){
        t=c;
    }
    public void mouseClicked(MouseEvent e) {
        String s= JOptionPane.showInputDialog(null, "Unesite
text", "Text",JOptionPane.QUESTION_MESSAGE);
        if(s != null)
            t.setText(s);
    }
}

```

3. **Za vježbu:** Napisati program koji kreira formu na kojoj se nalazi jedno dugme sa **Prikazi/Sakrij**. Prvi pritisak na pomenuto dugme na formi crta olimpijske krugove, dok ih drugi skriva, naizmjениčno. Ispod slike olimpijskih krugova treba da stoji natpis „Olimpijski krugovi“.

```

package prvi;
import java.awt.*;
import java.awt.event.*;
import javax.swing.*;
import java.awt.geom.*;

public class Prvi
{
    public static void main(String[] args){
        ButtonFrame frame = new ButtonFrame();
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setVisible(true);
    }
}

class ButtonFrame extends JFrame
{
    public ButtonFrame()
    {
        setTitle("Prikazi/sakrij olimpijske krugove");
        setSize(400,300);
        Container cp = getContentPane();
        JPanel panel = new JPanel();
        cp.add(panel);
    }
}

```

```

class ButtonPanel extends JPanel
{
int ind=0;
public ButtonPanel()
{
JButton D = new JButton("Prikazi/Sakrij");
add(D);
// Kreiramo osluškivace ...
PritisakDugmeta DAction = new PritisakDugmeta();
D.addActionListener(DAction);
}

public void paintComponent(Graphics g)
{
super.paintComponent(g);
Graphics2D g2= (Graphics2D) g;
if(ind==1)
{
Font f=new Font("Arial",Font.BOLD,15);
g.setFont(f);
g.drawString("<<<Olimpijski krugovi>>>",75,250);
g2.setPaint(Color.BLUE);
double a=75,b=50,c=100,d=100;
Ellipse2D el=new Ellipse2D.Double();
Rectangle2D r=new Rectangle2D.Double(a,b,c,d);
el setFrame(r);
g2.draw(el);
r= new Rectangle2D.Double(a+2*c/3,b,c,d);
el setFrame(r);
g2.setPaint(Color.BLACK);
g2.draw(el);
r= new Rectangle2D.Double(a+4*c/3,b,c,d);
el setFrame(r);
g2.setPaint(Color.RED);
g2.draw(el);
r= new Rectangle2D.Double(a+c/4,b+2*d/3,c,d);
el setFrame(r);
g2.setPaint(Color.YELLOW);
g2.draw(el);
r= new Rectangle2D.Double(a+c,b+2*d/3,c,d);
el setFrame(r);
g2.setPaint(Color.GREEN);
g2.draw(el);
}
}

private class PritisakDugmeta implements ActionListener
{
public void actionPerformed(ActionEvent e)
{
Graphics a=getGraphics();
if(ind==1) ind=0;
else ind=1;
repaint();
}
}
}

```