

Naručilac: **Univerzitet Crne Gore - Rektorat**
Broj : 05/1-2-1-1075
Datum: 29.08.2019.godine

OBRAZAC1

Na osnovu člana 30 Zakona o javnim nabavkama („Službeni list CG“, br. 42/11, 57/14, 28/15 i 42/17), Pravilnika o sadržaju akta i obrascima za sprovođenje nabavki male vrijednosti („Službeni list CG“, br. 49/17) i Pravila o nabavkama male vrijednosti Univerziteta Crne Gore br. 02-346/3 od 26.12.2018.godine, **Univerzitet Crne Gore - Rektorat** dostavlja,

**ZAHTJEV ZA DOSTAVLJANJE PONUDA
ZA NABAVKE MALE VRIJEDNOSTI**

I Podaci o naručiocu

Naručilac: Univerzitet Crne Gore-Rektorat	Lice/a za davanje informacija: Miodrag Zarubica
Adresa: Cetinjska broj 2	Poštanski broj: 81000
Sjedište: Podgorica	PIB: 02016702
Telefon: 020 414 285	Faks: 020 414 209
E-mail adresa: javne.nabavke@ucg.ac.me	Internet stranica: www.ucg.ac.me

II Predmet nabavke:

- ☒ robe
☐ usluge
☐ radovi

III Opis predmeta nabavke:

Alat za CIS -Rektorat
44512940-3 Kompleti alata

IV Procijenjena vrijednost nabavke:

Predmet javne nabavke se nabavlja:

- ☒ kao cjelina, procijenjene vrijednosti sa uračunatim pdv-om 7000,00 eura.

V Tehničke karakteristike ili specifikacije predmeta javne nabavke, odnosno predmjer radova

R. b.	Opis predmeta nabavke, odnosno dijela predmeta nabavke	Bitne karakteristike predmeta nabavke u pogledu kvaliteta, performansi i/ili dimenzija	Jed. mjere	Kom ada
1.	Alat	Fibre Optic Fusion Splicing Tool Kit Tool kit obuhvata: Kevlar Cutter, Cable Jacket Stripper, Utility Knife, Cable Sheath Stripper, Fibre & Network Cable Stripper, Rotary Coaxial Cable Stripper, 4 Bit Screwdriver, Flash Light, Marker Pen, 8PCS Hex Key Set, Fibre Optic Stripper, 8" Adjustable Wrench, Buffer Tube Stripper, Blow Brush, Ideal Coaxial Cable Stripper, Fibre Connector Clean Wipes, Round Cable Slitter, 100PCS Shrink Protection Sleeve, High Precision Tweezer, 100PCS Cleaning Swab (2.5mm), Optical Cable Wire-cutter, 3M Scotch Tape, 6" Long Nose Plier, ABS Heavy Duty Tool Case, 6" Side Cutting Plier, 3.5m Measuring Tape, 200ml Leakproof Plastic Bottle	komad	1
2.	Alat	Fibre Optic Construction Tool Kit Tool kit obuhvata: Fibre Optic Stripper, Kevlar Scissors, Loose Tube Plier, Jacket Stripper, Jacket Stripper, Round Cable Cutter, Wire Rope Cutter, 6" Lineman's Plier (155mm), Needle Node Plier (135mm), 6" Side Cut Plier (130mm), 8PCS Hex Key Set, 8" Adjustable Wrench, Parallel & Crosspoint Screwdriver, 6" Long Nose Plier, 3.5m Tape Measure(TAJIMA), Precision Nipper, Black Marker, Precision Art Knife, 125ml Leakproof Plastic Bottle, Optical Fibre Heat Shrinkable Tube 100kom, Carrying Tool Case (385×275×110mm)	komad	1
3.	Alat	Fibre Optic Cleaning Kit with 1.25mm&2.5mm Hand Held Fibre Microscope Obuhvata: Carrying Tool Bag (320×250×90mm), 200X Hand Held Fibre Microscope, LED Inspection Flashlight, OAM Fibre Optic Cassette Cleaner, Replacement Tape for OAM Fibre Optic Cassette Cleaner, 250ml Leakproof Plastic Bottle, Fibre Cleaning Wipes(7.5×7.5mm, 50/pkg), 1.25mm Fibre Optic Cleaning Swab 50 kom, bijele, 2.5mm Fibre Optic Cleaning Swab 20 bijelih, 100 zelenih, Parallel & Crosspoint Screwdriv	Komad	1
4.	Alat	Mini FTTx Fusion Splicer DVP-740 ili ekvivalent Fibre cleaved length 8-22mm Average splice loss 0.02dB(SM),0.01dB(MM),0.04dB(DS),0.04dB(NZDS) Tension test 2.0N(200gf)(Standard) Splice Program 5 groups of preset programs,75 group of manual setting AC adaptor 85~260V input voltage Return loss ≥60dB Protection sleeve length 20mm, 40mm, 60mm Internal battery 11.1V, 6500mAh, up to 260 times of continuous splice and heat	Komad	1

R. b.	Opis predmeta nabavke, odnosno dijela predmeta nabavke	Bitne karakteristike predmeta nabavke u pogledu kvaliteta, performansi i/ili dimenzija	Jed. mjere	Komada
5.	Alat	High Precision Fibre Optic Cleaver FS-08C ili ekvivalent Coating Diameter 250µm to 900µm Angle Capability 90±0.5 Degrees Cladding Diameter 125µm Material Steel Blade Lifetime Up to 48000 Cleaves Application standard 125/250um & 125/900um fibres	Komad	1
6.	Alat	Fibre Optic OTDR Launch Cable Box, Single Mode 2km SC/UPC – SC/UPC Fibre ili ekvivalent Fibre Type 9/125 Singlemode Connector 1 SC/UPC Connector 2 SC/UPC Length 2km Material SR Polypropylene Typical Loss < 0.5dB@1310nm for 1000 metres	Komad	1
7.	Alat	FOTR-201 Handheld OTDR (1310±20nm/1550±20nm, 24/22dB) with FC/SC Connector ili ekvivalent Wavelength(nm) 1310±20nm/1550±20nm Fibre Type Single Mode Pulse Width 10ns~10us Event Blind Area <1.5m Dynamic Range 24/22dB Test Range 80KM Interface USB	Komad	1
8.	Alat	FOLS-103 Handheld Fibre Optical Light Source (1310/1550nm) with 2.5mm FC/SC/ST Connector ili ekvivalent Wavelengths (nm) 1310/1550 Adjustable Step Size (dBm) <0.5 (adjustable between -5~-12 dBm) Modulation Frequencies CW / 270Hz / 1KHz / 2KHz Applicable Fibre SMF Output Power (dBm) -5±0.3* Stability (dB/30min/20°C) 0.15 Optical Connector 2.5mm FC/SC/ST	Komad	1
9.	Alat	FOLS-108 Handheld Fibre Optical Light Source (850/1300nm) with 2.5mm FC/SC/ST Connector ili ekvivalent Wavelengths (nm) 850/1300 Adjustable Step Size (dBm) <0.5 (adjustable between -5~-12 dBm) Modulation Frequencies CW / 270Hz / 1KHz / 2KHz Applicable Fibre OM1 62.5/125 Output Power (dBm) -5 (can be adjustable) Stability (dB/30min/20°C) 0.15 Optical Connector 2.5mm FC/SC/ST	Komad	1

R. b.	Opis predmeta nabavke, odnosno dijela predmeta nabavke	Bitne karakteristike predmeta nabavke u pogledu kvaliteta, performansi i/ili dimenzija	Jed. mjere	Komada
10.	Alat	FOPM-109 Handheld Optical Power Metre(-50~+26dBm) with 2.5mm FC/SC/ST Connector Multifuncional ili ekvivalent Calibrated Wavelength 850/1300/1310/1490/1550/1625nm Measurement Range -50~+26dBm Linearity±0.02dB Frequency ID 270/330/1K/2KHz Detector Type InGaAs Uncertainty ±0.15dB Display Resolution 0.01dB Date Storage Capacity 1000	Komad	1
11.	Alat	15mW FVFL-206 Pen Shape Visual Fault Locator with 2.5mm Universal Adapter ili ekvivalent Wavelength 650nm ± 20nm Dynamic Distance >10km Connector 2.5mm Universal connector Output Power 15mW Housing Material Metal Operation Mode Pulsed (2Hz) and CW Battery Life ≥ 8 hours	Komad	1
12.	Ala	NEOCLEAN-EZ Pen One-Push Cleaner for LC/MU 1.25mm Ferrules (750 cleans) ili ekvivalent Target Use LC/MU No. of Cleanings ≥ 750 times Polish Type PC/APC Length (mm) 240	Komad	1
13.	Alat	NEOCLEAN-EZ Pen One-Push Cleaner for SC/FC/ST/LSH 2.5mm Ferrules (750 cleans) ili ekvivalent Target Use SC/ST/FC/LSH No. of Cleanings ≥ 750 times Polish Type PC/APC Length (mm) 230	Komad	1
14.	Alat	NEOCLEAN-EZ Pen One-Push Cleaner, MPO/MTP ili ekvivalent Target Use MTP/MPO No. of Cleanings ≥ 600times Polish Type APC/UPC	Komad	1
15.	Alat	FTTH Drop Cable Stripper Covered Wire Stripping Device ili ekvivalent Body Material Zinc Alloy Steel Blade CR12 Length 4.33" (110mm)	Komad	1

VI Način plaćanja

Virmanski, 30 dana od dana isporuke i uredno potpisane fakture.

VII Rok isporuke robe, izvođenja radova, odnosno pružanja usluge:

Rok isporuke robe: 30 dana od dana potpisivanja ugovora.

VIII Kriterijum za izbor najpovoljnije ponude:

☒ najniža ponuđena cijena

broj bodova 100

IX Rok i način dostavljanja ponuda

Ponude se predaju radnim danima od 30.08.2019. do 04.09.2019. godine od 9 do 12 sati, zaključno sa danom 04.09.2019. godine godine do 12 sati.

Ponude se mogu predati:

☒ neposrednom predajom na arhivi naručioca na adresi Cetinjska broj 2 Podgorica.

☒ preporučenom pošiljkom sa povratnicom na adresi Cetinjska broj 2 Podgorica.

☐ elektronskim putem na mail adresu _____.

X Rok za donošenje obavještenja o ishodu postupka

U roku od 20 dana od dana određenog za dostavljanje ponuda.

XI Druge informacije

Ponudač je dužan dostaviti:

Rješenje iz CRPS da je registrovan za pružanje predmetnih usluga (dokaz o registraciji kod organa nadležnog za registraciju privrednih subjekata sa podacima o ovlašćenim licima ponudača);
Popunjene obrasce koje priprema ponudač.
Ponudač dostavlja ponudu sa cijenom/ama izraženom u EUR-ima u skladu sa članom 13 Zakona o javnim nabavkama.
U ponuđenu cijenu uračunavaju se svi troškovi i popusti na ukupnu ponuđenu cijenu, sa posebno iskazanim PDV-om, u skladu sa zakonom.
Ponuđena cijena/e piše se brojkama.
Ponuđena cijena/e izražava se za cjelokupni predmet nabavke male vrijednosti.
Ponude primljene nakon isteka roka neće biti razmatrane.
Za izbor najpovoljnije ponude dovoljna je i jedna pristigla ponuda koja zadovoljava sve uslove navedene u zahtjevu za dostavljanje ponuda.
Ponuđena cijena/e izražava se za cjelokupni predmet javne nabavke, za svaku partiju za koju se podnosi ponuda dostavlja se posebno Finansijski dio ponude.

Ponuda mora biti dostavljena u pisanom obliku, na crnogorskom jeziku, u zatvorenoj koverti na kojoj na prednjoj strani mora biti tekst „**PONUDA – NE OTVARAJ**” naziv i broj zahtjeva za nabavke male vrijednosti, a na poledjini naziv, broj telefona i adresa ponudjača.

U slučaju da ponudjač nema sjedište u Crnoj Gori niti ima imenovanog poreskog zastupnika, primijeniće se član 12 tačka 2 Zakon o porezu na dodatu vrijednost ("Službeni list Republike Crne Gore", br. 065/01 od 31.12.2001, 012/02 od 15.03.2002, 038/02 od 26.07.2002, 072/02 od 31.12.2002, 021/03 od 31.03.2003, 076/05 od 16.12.2005, 004/06 od 27.01.2006, Službeni list Crne Gore", br. 016/07 od 27.12.2007, 073/10 od 10.12.2010, 040/11 od 08.08.2011, 029/13 od 22.06.2013, 009/15 od 05.03.2015, 053/16 od 11.08.2016, 001/17 od 09.01.2017, 050/17 od 31.07.2017).

Naručilac će dostaviti ponudjačima putem e-mail-a, pri čemu je Zahtjev objavljen i na internet adresi Naručioca.

Službenik za javne nabavke

Željka Simonović

Ovlašćeno lice naručioca

prof. dr Danilo Nikolić

