




ORGANIZACIJA STUDIJA



ORGANIZACIJA OSNOVNIH STUDIJA



ORGANIZACIJA MASTER STUDIJA



ENERGETIKA I AUTOMATIKA



ENERGETIKA I AUTOMATIKA




ENERGETIKA I AUTOMATIKA




ENERGETIKA I AUTOMATIKA



ELEKTRONIKA, TELEKOMUNIKACIJE I RAČUNARI



ELEKTRONIKA, TELEKOMUNIKACIJE I RAČUNARI




ELEKTRONIKA, TELEKOMUNIKACIJE I RAČUNARI




ELEKTRONIKA, TELEKOMUNIKACIJE I RAČUNARI



ELEKTRONIKA, TELEKOMUNIKACIJE I RAČUNARI



ELEKTRONIKA, TELEKOMUNIKACIJE I RAČUNARI



The screenshot shows a code editor with a dark theme. On the left is a file tree for a Next.js project named 'blog'. The tree includes directories like '_next', 'components', 'context', 'documentation', 'graphql', 'hooks', 'lib', 'node_modules', 'pages', 'public', 'tests', and 'utils'. Under 'utils', there are files for 'theme.ts', 'babelrc', 'env.example', 'env.local', 'eslintrc.js', '.gitignore', 'next-env.dts', 'package.json', 'README.md', 'tsconfig.json', 'yarn.lock', 'External Libraries', and 'Scratches and Consoles'. The right side of the screen displays the content of the file 'app.tsx'. The code imports various components and Apollo Client, and defines an 'App' component that uses a custom hook to manage the theme.

```
Project: ~/Projects/blog/main / 9Δ
Index.tsx × .env.local × _app.tsx ×
import { useEffect } from 'react'; 8.23 kB (gzip: 5.55 kB)
import Head from 'next/head';
import type { AppProps } from 'next/app'; 5.11 kB (gzip: 2.16 kB)
import { ApolloProvider } from '@apollo/client'; 123.67 kB (gzip: 35.78 kB)
import { ThemeProvider } from '@material-ui/core/styles'; 2.45 kB (gzip: 1.11 kB)
import CssBaseline from '@material-ui/core/CssBaseline'; 61.61 kB (gzip: 20.02 kB)
import { Container } from '@material-ui/core'; 63.32 kB (gzip: 20.38 kB)
import { useApollo } from '../graphql/client';

import { lightTheme, darkTheme } from '../utils/theme';
import useLocalStorage from '../hooks/useLocalStorage';
import NavBar from '../components/NavBar';


function App({ Component, pageProps }: AppProps) {
  const [currentTheme, setCurrentTheme] = useLocalStorage(key, 'theme-value', initialValue: 'light');
  const apolloClient = useApollo(pageProps.initialApolloState);

  useEffect(() => {
    const jssStyles = document.querySelector(`selector: '#jss-server-side'`);
    if (jssStyles) {
      jssStyles.parentElement.removeChild(jssStyles);
    }
  }, [deps]);

  return (
    <>
      <Head>
        <title>ECU-DEV</title>
        <meta name="viewport" content="minimum-scale=1, initial-scale=1, width=device-width" />
      </Head>
      <ThemeProvider theme={currentTheme === 'light' ? lightTheme : darkTheme}>
        <ApolloProvider client={apolloClient}>
          <CssBaseline />
          <Container>
            <Component {...pageProps} />
          </Container>
        </ApolloProvider>
      </ThemeProvider>
    </>
  );
}

export default App;
```

PRIMIJENJENO RAČUNARSTVO




PRIMIJENJENO RAČUNARSTVO




PRIMIJENJENO RAČUNARSTVO



PRIMIJENJENO RAČUNARSTVO





ETFUCG

 **Futurum**
1974 2024