

Appendix B: Erlang B Table-Blocked Calls Cleared Model

Table B.1 shows the amount of traffic (in Erlangs) carried by a given number of channels n for different blocking probability values.

Table B.1 Erlang B Model—Blocked Calls Cleared

n	(Offered Load)													
	A in Erlangs													
	P_B (Blocking Probability)													
	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%	
1	0.0001	0.0002	0.0003	0.0005	0.0010	0.0020	0.0030	0.0040	0.0050	0.0060	0.0070	0.0081	0.0091	
2	0.0142	0.0202	0.0248	0.0321	0.0458	0.0653	0.0806	0.0937	0.105	0.116	0.126	0.135	0.1443	
3	0.0868	0.110	0.127	0.152	0.194	0.249	0.289	0.321	0.349	0.374	0.397	0.418	0.4374	
4	0.235	0.282	0.315	0.362	0.439	0.535	0.602	0.656	0.701	0.741	0.777	0.810	0.8415	
5	0.452	0.527	0.577	0.649	0.762	0.900	0.994	1.07	1.13	1.19	1.24	1.28	1.326	
6	0.728	0.832	0.900	0.996	1.15	1.33	1.45	1.54	1.62	1.69	1.75	1.81	1.867	
7	1.05	1.19	1.27	1.39	1.58	1.80	1.95	2.06	2.16	2.24	2.31	2.38	2.448	
8	1.42	1.58	1.69	1.83	2.05	2.31	2.48	2.62	2.73	2.83	2.91	2.99	3.069	
9	1.83	2.01	2.13	2.30	2.56	2.85	3.05	3.21	3.33	3.44	3.54	3.63	3.7110	
10	2.26	2.47	2.61	2.80	3.09	3.43	3.65	3.82	3.96	4.08	4.19	4.29	4.3811	
11	2.72	2.96	3.12	3.33	3.65	4.02	4.27	4.45	4.61	4.74	4.86	4.97	5.07	
12	3.21	3.47	3.65	3.88	4.23	4.64	4.90	5.11	5.28	5.43	5.55	5.67	5.78	
13	3.71	4.01	4.19	4.45	4.83	5.27	5.56	5.78	5.96	6.12	6.26	6.39	6.50	
14	4.24	4.56	4.76	5.03	5.45	5.92	6.23	6.47	6.66	6.83	6.98	7.12	7.24	
15	4.78	5.12	5.34	5.63	6.08	6.58	6.91	7.17	7.38	7.56	7.71	7.86	7.99	
16	5.34	5.70	5.94	6.25	6.72	7.26	7.61	7.88	8.10	8.29	8.46	8.61	8.75	
17	5.91	6.30	6.55	6.88	7.38	7.95	8.32	8.60	8.83	9.03	9.21	9.37	9.52	
18	6.50	6.91	7.17	7.52	8.05	8.64	9.03	9.33	9.58	9.79	9.98	10.1	10.3	
19	7.09	7.53	7.80	8.17	8.72	9.35	9.76	10.1	10.3	10.6	10.7	10.9	11.1	
20	7.70	8.16	8.44	8.83	9.41	10.1	10.5	10.8	11.1	11.3	11.5	11.7	11.9	
21	8.32	8.79	9.10	9.50	10.1	10.8	11.2	11.6	11.9	12.1	12.3	12.5	12.7	
22	8.95	9.44	9.76	10.2	10.8	11.5	12.0	12.3	12.6	12.9	13.1	13.3	13.5	
23	9.58	10.1	10.4	10.9	11.5	12.3	12.7	13.1	13.4	13.7	13.9	14.1	14.3	
24	10.2	10.8	11.1	11.6	12.2	13.0	13.5	13.9	14.2	14.5	14.7	14.9	15.1	
25	10.9	11.4	11.8	12.3	13.0	13.8	14.3	14.7	15.0	15.3	15.5	15.7	15.9	
26	11.5	12.1	12.5	13.0	13.7	14.5	15.1	15.5	15.8	16.1	16.3	16.6	16.8	
27	12.2	12.8	13.2	13.7	14.4	15.3	15.8	16.3	16.6	16.9	17.2	17.4	17.6	
28	12.9	13.5	13.9	14.4	15.2	16.1	16.6	17.1	17.4	17.7	18.0	18.2	18.4	
29	13.6	14.2	14.6	15.1	15.9	16.8	17.4	17.9	18.2	18.5	18.8	19.1	19.3	
30	14.2	14.9	15.3	15.9	16.7	17.6	18.2	18.7	19.0	19.4	19.6	19.9	20.1	
31	14.9	15.6	16.0	16.6	17.4	18.4	19.0	19.5	19.9	20.2	20.5	20.7	21.0	
32	15.6	16.3	16.8	17.3	18.2	19.2	19.8	20.3	20.7	21.0	21.3	21.6	21.8	
33	16.3	17.0	17.5	18.1	19.0	20.0	20.6	21.1	21.5	21.9	22.2	22.4	22.7	
34	17.0	17.8	18.2	18.8	19.7	20.8	21.4	21.9	22.3	22.7	23.0	23.3	23.5	
35	17.8	18.5	19.0	19.6	20.5	21.6	22.2	22.7	23.2	23.5	23.8	24.1	24.4	
36	18.5	19.2	19.7	20.3	21.3	22.4	23.1	23.6	24.0	24.4	24.7	25.0	25.3	
37	19.2	20.0	20.5	21.1	22.1	23.2	23.9	24.4	24.8	25.2	25.6	25.9	26.1	
38	19.9	20.7	21.2	21.9	22.9	24.0	24.7	25.2	25.7	26.1	26.4	26.7	27.0	
39	20.6	21.5	22.0	22.6	23.7	24.8	25.5	26.1	26.5	26.9	27.3	27.6	27.9	
40	21.4	22.2	22.7	23.4	24.4	25.6	26.3	26.9	27.4	27.8	28.1	28.5	28.7	
41	22.1	23.0	23.5	24.2	25.2	26.4	27.2	27.8	28.2	28.6	29.0	29.3	29.6	
42	22.8	23.7	24.2	25.0	26.0	27.2	28.0	28.6	29.1	29.5	29.9	30.2	30.5	
43	23.6	24.5	25.0	25.7	26.8	28.1	28.8	29.4	29.9	30.4	30.7	31.1	31.4	
44	24.3	25.2	25.8	26.5	27.6	28.9	29.7	30.3	30.8	31.2	31.6	31.9	32.3	
45	25.1	26.0	26.6	27.3	28.4	29.7	30.5	31.1	31.7	32.1	32.5	32.8	33.1	
46	25.8	26.8	27.3	28.1	29.3	30.5	31.4	32.0	32.5	33.0	33.4	33.7	34.0	
47	26.6	27.5	28.1	28.9	30.1	31.4	32.2	32.9	33.4	33.8	34.2	34.6	34.9	
48	27.3	28.3	28.9	29.7	30.9	32.2	33.1	33.7	34.2	34.7	35.1	35.5	35.8	
49	28.1	29.1	29.7	30.5	31.7	33.0	33.9	34.6	35.1	35.6	36.0	36.4	36.7	
50	28.9	29.9	30.5	31.3	32.5	33.9	34.8	35.4	36.0	36.5	36.9	37.2	37.6	
N	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%	
	B													

Table B.1 (Continued)

(Offered Load)		A in Erlangs												
n	P_B													
	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
1	0.0101	0.0121	0.0152	0.0204	0.0309	0.0526	0.753	0.111	0.176	0.250	0.429	0.667	1.00	
2	0.153	0.168	0.190	0.223	0.282	0.381	0.470	0.595	0.796	1.00	1.45	2.00	2.73	
3	0.455	0.489	0.535	0.602	0.715	0.899	1.06	1.27	1.60	1.93	2.63	3.48	4.59	
4	0.869	0.922	0.992	1.09	1.26	1.52	1.75	2.05	2.50	2.95	3.89	5.02	6.50	
5	1.36	1.43	1.52	1.66	1.88	2.22	2.50	2.88	3.45	4.01	5.19	6.60	8.44	
6	1.91	2.00	2.11	2.28	2.54	2.96	3.30	3.76	4.44	5.11	6.51	8.19	10.4	
7	2.50	2.60	2.74	2.94	3.25	3.74	4.14	4.67	5.46	6.23	7.86	9.80	12.4	
8	3.13	3.25	3.40	3.63	3.99	4.54	5.00	5.60	6.50	7.37	9.21	11.4	14.3	
9	3.78	3.92	4.09	4.34	4.75	5.37	5.88	6.55	7.55	8.52	10.6	13.0	16.3	
10	4.46	4.61	4.81	5.08	5.53	6.22	6.78	7.51	8.62	9.68	12.0	14.7	18.3	
11	5.16	5.32	5.54	5.84	6.33	7.08	7.69	8.49	9.69	10.9	13.3	16.3	20.3	
12	5.88	6.05	6.29	6.61	7.14	7.95	8.61	9.47	10.8	12.0	14.7	18.0	22.2	
13	6.61	6.80	7.05	7.40	7.97	8.83	9.54	10.5	11.9	13.2	16.1	19.6	24.2	
14	7.35	7.56	7.82	8.20	8.80	9.73	10.5	11.5	13.0	14.4	17.5	21.2	26.2	
15	8.11	8.33	8.61	9.01	9.65	10.6	11.4	12.5	14.1	15.6	18.9	22.9	28.2	
16	8.88	9.11	9.41	9.83	10.5	11.5	12.4	13.5	15.2	16.8	20.3	24.5	30.2	
17	9.65	9.89	10.2	10.7	11.4	12.5	13.4	14.5	16.3	18.0	21.7	26.2	32.2	
18	10.4	10.7	11.0	11.5	12.2	13.4	14.3	15.5	17.4	19.2	23.1	27.8	34.2	
19	11.2	11.5	11.8	12.3	13.1	14.3	15.3	16.6	18.5	20.4	24.5	29.5	36.2	
20	12.0	12.3	12.7	13.2	14.0	15.2	16.3	17.6	19.6	21.6	25.9	31.2	38.2	
21	12.8	13.1	13.5	14.0	14.9	16.2	17.3	18.7	20.8	22.8	27.3	32.8	40.2	
22	13.7	14.0	14.3	14.9	15.8	17.1	18.2	19.7	21.9	24.1	28.7	34.5	42.1	
23	14.5	14.8	15.2	15.8	16.7	18.1	19.2	20.7	23.0	25.3	30.1	36.1	44.1	
24	15.3	15.6	16.0	16.6	17.6	19.0	20.2	21.8	24.2	26.5	31.6	37.8	46.1	
25	16.1	16.5	16.9	17.5	18.5	20.0	21.2	22.8	25.3	27.7	33.0	39.4	48.1	
26	17.0	17.3	17.8	18.4	19.4	20.9	22.2	23.9	26.4	28.9	34.4	41.1	50.1	
27	17.8	18.2	18.6	19.3	20.3	21.9	23.2	24.9	27.6	30.2	35.8	42.8	52.1	
28	18.6	19.0	19.5	20.2	21.2	22.9	24.2	26.0	28.7	31.4	37.2	44.4	54.1	
29	19.5	19.9	20.4	21.0	22.1	23.8	25.2	27.1	29.9	32.6	38.6	46.1	56.1	
30	20.3	20.7	21.2	21.9	23.1	24.8	26.2	28.1	31.0	33.8	40.0	47.7	58.1	
31	21.2	21.6	22.1	22.8	24.0	25.8	27.2	29.2	32.1	35.1	41.5	49.4	60.1	
32	22.0	22.5	23.0	23.7	24.9	26.7	28.2	30.2	33.3	36.3	42.9	51.1	62.1	
33	22.9	23.3	23.9	24.6	25.8	27.7	29.3	31.3	34.4	37.5	44.3	52.7	64.1	
34	23.8	24.2	24.8	25.5	26.8	28.7	30.3	32.4	35.6	38.8	45.7	54.4	66.1	
35	24.6	25.1	25.6	26.4	27.7	29.7	31.3	33.4	36.7	40.0	47.1	56.0	68.1	
36	25.5	26.0	26.5	27.3	28.6	30.7	32.3	34.5	37.9	41.2	48.6	57.7	70.1	
37	26.4	26.8	27.4	28.3	29.6	31.6	33.3	35.6	39.0	42.4	50.0	59.4	72.1	
38	27.3	27.7	28.3	29.2	30.5	32.6	34.4	36.6	40.2	43.7	51.4	61.0	74.1	
39	28.1	28.6	29.2	30.1	31.5	33.6	35.4	37.7	41.3	44.9	52.8	62.7	76.1	
40	29.0	29.5	30.1	31.0	32.4	34.6	36.4	38.8	42.5	46.1	54.2	64.4	78.1	
41	29.9	30.4	31.0	31.9	33.4	35.6	37.4	39.9	43.6	47.4	55.7	66.0	80.1	
42	30.8	31.3	31.9	32.8	34.3	36.6	38.4	40.9	44.8	48.6	57.1	67.7	82.1	
43	31.7	32.2	32.8	33.8	35.3	37.6	39.5	42.0	45.9	49.9	58.5	69.3	84.1	
44	32.5	33.1	33.7	34.7	36.2	38.6	40.5	43.1	47.1	51.1	59.9	71.0	86.1	
45	33.4	34.0	34.6	35.6	37.2	39.6	41.5	44.2	48.2	52.3	61.3	72.7	88.1	
46	34.3	34.9	35.6	36.5	38.1	40.5	42.6	45.2	49.4	53.6	62.8	74.3	90.1	
47	35.2	35.8	36.5	37.5	39.1	41.5	43.6	46.3	50.6	54.8	64.2	76.0	92.1	
48	36.1	36.7	37.4	38.4	40.0	42.5	44.6	47.4	51.7	56.0	65.6	77.7	94.1	
49	37.0	37.6	38.3	39.3	41.0	43.5	45.7	48.5	52.9	57.3	67.0	79.3	96.1	
50	37.9	38.5	39.2	40.3	41.9	44.5	46.7	49.6	54.0	58.5	68.5	81.0	98.1	
N	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
	B													

Table B.1 (Continued)

(Offered Load)		A in Erlangs												
n	P_B													
	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%	
50	28.9	29.9	30.5	31.3	32.5	33.9	34.8	35.4	36.0	36.5	36.9	37.2	37.6	
51	29.6	30.6	31.3	32.1	33.3	34.7	35.6	36.3	36.9	37.3	37.8	38.1	38.5	
52	30.4	31.4	32.0	32.9	34.2	35.6	36.5	37.2	37.7	38.2	38.6	29.0	39.4	
53	31.2	32.2	32.8	33.7	35.0	36.4	37.3	38.0	38.6	39.1	39.5	39.9	40.3	
54	31.9	33.0	33.6	34.5	35.8	37.2	38.2	38.9	39.5	40.0	40.4	40.8	41.2	
55	32.7	33.8	34.4	35.3	36.6	38.1	39.0	39.8	40.4	40.9	41.3	41.7	42.1	
56	33.5	34.6	35.2	36.1	37.5	38.9	39.9	40.6	41.2	41.7	42.2	42.6	43.0	
57	34.3	35.4	36.0	36.9	38.3	39.8	40.8	41.5	42.1	42.6	43.1	43.5	43.9	
58	35.1	36.2	36.8	37.8	39.1	40.6	41.6	42.4	43.0	43.5	44.0	44.4	44.8	
59	35.8	37.0	37.6	38.6	40.0	41.5	42.5	43.3	43.9	44.4	44.9	45.3	45.7	
60	36.6	37.8	38.5	39.4	40.8	42.4	43.4	44.1	44.8	45.3	45.8	46.2	46.6	
61	37.4	38.6	39.3	40.2	41.6	43.2	44.2	45.0	45.6	46.2	46.7	47.1	47.5	
62	38.2	39.4	40.1	41.0	42.5	44.1	45.1	45.9	46.5	47.1	47.6	48.0	48.4	
63	39.0	40.2	40.9	41.9	43.3	44.9	46.0	46.8	47.4	48.0	48.5	48.9	49.3	
64	39.8	41.0	41.7	42.7	44.2	45.8	46.8	47.6	48.3	48.9	49.4	49.8	50.2	
65	40.6	41.8	42.5	43.5	45.0	46.6	47.7	48.5	49.2	49.8	50.3	50.7	51.1	
66	41.4	42.6	43.3	44.4	45.8	47.5	48.6	49.4	50.1	50.7	51.2	51.6	52.0	
67	42.2	43.4	44.2	45.2	46.7	48.4	49.5	50.3	51.0	51.6	52.1	52.5	53.0	
68	43.0	44.2	45.0	46.0	47.5	49.2	50.3	51.2	51.9	52.5	53.0	53.4	53.9	
69	43.8	45.0	45.8	46.8	48.4	50.1	51.2	52.1	52.8	53.4	53.9	54.4	54.8	
70	44.6	45.8	46.6	47.7	49.2	51.0	52.1	53.0	53.7	54.3	54.8	55.3	55.7	
71	45.4	46.7	47.5	48.5	50.1	51.8	53.0	53.8	54.6	55.2	55.7	56.2	56.6	
72	46.2	47.5	48.3	49.4	50.9	52.7	53.9	54.7	55.5	56.1	56.6	57.1	57.5	
73	47.0	48.3	49.1	50.2	51.8	53.6	54.7	55.6	56.4	57.0	57.5	58.0	58.5	
74	47.8	49.1	49.9	51.0	52.7	54.5	55.6	56.5	57.3	57.9	58.4	58.9	59.4	
75	48.6	49.9	50.8	51.9	53.5	55.3	56.5	57.4	58.2	58.8	59.3	59.8	60.3	
76	49.4	50.8	51.6	52.7	54.4	56.2	57.4	58.3	59.1	59.7	60.3	60.8	61.2	
77	50.2	51.6	52.4	53.6	55.2	57.1	58.3	59.2	60.0	60.6	61.2	61.7	62.1	
78	51.1	52.4	53.3	54.4	56.1	58.0	59.2	60.1	60.9	61.5	62.1	62.6	63.1	
79	51.9	53.2	54.1	55.3	56.9	58.8	60.1	61.0	61.8	62.4	63.0	63.5	64.0	
80	52.7	54.1	54.9	56.1	57.8	59.7	61.0	61.9	62.7	63.3	63.9	64.4	64.9	
81	53.5	54.9	55.8	56.9	58.7	60.6	61.8	62.8	63.6	64.2	64.8	65.4	65.8	
82	54.3	55.7	56.6	57.8	59.5	61.5	62.7	63.7	64.5	65.2	65.7	66.3	66.8	
83	55.1	56.6	57.5	58.6	60.4	62.4	63.6	64.6	65.4	66.1	66.7	67.2	67.7	
84	56.0	57.4	58.3	59.5	61.3	63.2	64.5	65.5	66.3	67.0	67.6	68.1	68.6	
85	56.8	58.2	59.1	60.4	62.1	64.1	65.4	66.4	67.2	67.9	68.5	69.1	69.6	
86	57.6	59.1	60.0	61.2	63.0	65.0	66.3	67.3	68.1	68.8	69.4	70.0	70.5	
87	58.4	59.9	60.8	62.1	63.9	65.9	67.2	68.2	69.0	69.7	70.3	70.9	71.4	
88	59.3	60.8	61.7	62.9	64.7	66.8	68.1	69.1	69.9	70.6	71.3	71.8	72.3	
89	60.1	61.6	62.5	63.8	65.6	67.7	69.0	70.0	70.8	71.6	72.2	72.8	73.3	
90	60.9	62.4	63.4	64.6	66.5	68.6	69.9	70.9	71.8	72.5	73.1	73.7	74.2	
91	61.8	63.3	64.2	65.5	67.4	69.4	70.8	71.8	72.7	73.4	74.0	74.6	75.1	
92	62.6	64.1	65.1	66.3	68.2	70.3	71.7	72.7	73.6	74.3	75.0	75.5	76.1	
93	63.4	65.0	65.9	67.2	69.1	71.2	72.6	73.6	74.5	75.2	75.9	76.5	77.0	
94	64.2	65.8	66.8	68.1	70.0	72.1	73.5	74.5	75.4	76.2	76.8	77.4	77.9	
95	65.1	66.6	67.6	68.9	70.9	73.0	74.4	75.5	76.3	77.1	77.7	78.3	78.9	
96	65.9	67.5	68.5	69.8	71.7	73.9	75.3	76.4	77.2	78.0	78.7	79.3	79.8	
97	66.8	68.3	69.3	70.7	72.6	74.8	76.2	77.3	78.2	78.9	79.6	80.2	80.7	
98	67.6	69.2	70.2	71.5	73.5	75.7	77.1	78.2	79.1	79.8	80.5	81.1	81.7	
99	68.4	70.0	71.0	72.4	74.4	76.6	78.0	79.1	80.0	80.8	81.4	82.0	82.6	
100	69.3	70.9	71.9	73.2	75.2	77.5	78.9	80.0	80.9	81.7	82.4	83.0	83.5	
N	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%	
	B													

Table B.1 (Continued)

(Offered Load)		A in Erlangs												
n	P_B													
	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
50	37.9	38.5	39.2	40.3	41.9	44.5	46.7	49.6	54.0	58.5	68.5	81.0	98.1	
51	38.8	39.4	40.1	41.2	42.9	45.5	47.7	50.6	55.2	59.7	69.9	82.7	100.1	
52	39.7	40.3	41.0	42.1	43.9	46.5	48.8	51.7	56.3	61.0	71.3	84.3	102.1	
53	40.6	41.2	42.0	43.1	44.8	47.5	49.8	52.8	57.5	62.2	72.7	86.0	104.1	
54	41.5	42.1	42.9	44.0	45.8	48.5	50.8	53.9	58.7	63.5	74.2	87.6	106.1	
55	42.4	43.0	43.8	44.9	46.7	49.5	51.9	55.0	59.8	64.7	75.6	89.3	108.1	
56	43.3	43.9	44.7	45.9	47.7	50.5	52.9	56.1	61.0	65.9	77.0	91.0	110.1	
57	44.2	44.8	45.7	46.8	48.7	51.5	53.9	57.1	62.1	67.2	78.4	92.6	112.1	
58	45.1	45.8	46.6	47.8	49.6	52.6	55.0	58.2	63.3	68.4	79.8	94.3	114.1	
59	46.0	46.7	47.5	48.7	50.6	53.6	56.0	59.3	64.5	69.7	81.3	96.0	116.1	
60	46.9	47.6	48.4	49.6	51.6	54.6	57.1	60.4	65.6	70.9	82.7	97.6	118.1	
61	47.9	48.5	49.4	50.6	52.5	55.6	58.1	61.5	66.8	72.1	84.1	99.3	120.1	
62	48.8	49.4	50.3	51.5	53.5	56.6	59.1	62.6	68.0	73.4	85.5	101.0	122.1	
63	49.7	50.4	51.2	52.5	54.5	57.6	60.2	63.7	69.1	74.6	87.0	102.6	124.1	
64	50.6	51.3	52.2	53.4	55.4	58.6	61.2	64.8	70.3	75.9	88.4	104.3	126.1	
65	51.5	52.2	53.1	54.4	56.4	59.6	62.3	65.8	71.4	77.1	89.8	106.0	128.1	
66	52.4	53.1	54.0	55.3	57.4	60.6	63.3	66.9	72.6	78.3	91.2	107.6	130.1	
67	53.4	54.1	55.0	56.3	58.4	61.6	64.4	68.0	73.8	79.6	92.7	109.3	132.1	
68	54.3	55.0	55.9	57.2	59.3	62.6	65.4	69.1	74.9	80.8	94.1	111.0	134.1	
69	55.2	55.9	56.9	58.2	60.3	63.7	66.4	70.2	76.1	82.1	95.5	112.6	136.1	
70	56.1	56.8	57.8	59.1	61.3	64.7	67.5	71.3	77.3	83.3	96.9	114.3	138.1	
71	57.0	57.8	58.7	60.1	62.3	65.7	68.5	72.4	78.4	84.6	98.4	115.9	140.1	
72	58.0	58.7	59.7	61.0	63.2	66.7	69.6	73.5	79.6	85.8	99.8	117.6	142.1	
73	58.9	59.6	60.6	62.0	64.2	67.7	70.6	74.6	80.8	87.0	101.2	119.3	144.1	
74	59.8	60.6	61.6	62.9	65.2	68.7	71.7	75.6	81.9	88.3	102.7	120.9	146.1	
75	60.7	61.5	62.5	63.9	66.2	69.7	72.7	76.7	83.1	89.5	104.1	122.6	148.0	
76	61.7	62.4	63.4	64.9	67.2	70.8	73.8	77.8	84.2	90.8	105.5	124.3	150.0	
77	62.6	63.4	64.4	65.8	68.1	71.8	74.8	78.9	85.4	92.0	106.9	125.9	152.0	
78	63.5	64.3	65.3	66.8	69.1	72.8	75.9	80.0	86.6	93.3	108.4	127.6	154.0	
79	64.4	65.2	66.3	67.7	70.1	73.8	76.9	81.1	87.7	94.5	109.8	129.3	156.0	
80	65.4	66.2	67.2	68.7	71.1	74.8	78.0	82.2	88.9	95.7	111.2	130.9	158.0	
81	66.3	67.1	68.2	69.6	72.1	75.8	79.0	83.3	90.1	97.0	112.6	132.6	160.0	
82	67.2	68.0	69.1	70.6	73.0	76.9	80.1	84.4	91.2	98.2	114.1	134.3	162.0	
83	68.2	69.0	70.1	71.6	74.0	77.9	81.1	85.5	92.4	99.5	115.5	135.9	164.0	
84	69.1	69.9	71.0	72.5	75.0	78.9	82.2	86.6	93.6	100.7	116.9	137.6	166.0	
85	70.0	70.9	71.9	73.5	76.0	79.9	83.2	87.7	94.7	102.0	118.3	139.3	168.0	
86	70.9	71.8	72.9	74.5	77.0	80.9	84.3	88.8	95.9	103.2	119.8	140.9	170.0	
87	71.9	72.7	73.8	75.4	78.0	82.0	85.3	89.9	97.1	104.5	121.2	142.6	172.0	
88	72.8	73.7	74.8	76.4	78.9	83.0	86.4	91.0	98.2	105.7	122.6	144.3	174.0	
89	73.7	74.6	75.7	77.3	79.9	84.0	87.4	92.1	99.4	106.9	124.0	145.9	176.0	
90	74.7	75.6	76.7	78.3	80.9	85.0	88.5	93.1	100.6	108.2	125.5	147.6	178.0	
91	75.6	76.5	77.6	79.3	81.9	86.0	89.5	94.2	101.7	109.4	126.9	149.3	180.0	
92	76.6	77.4	78.6	80.2	82.9	87.1	90.6	95.3	102.9	110.7	128.3	150.9	182.0	
93	77.5	78.4	79.6	81.2	83.9	88.1	91.6	96.4	104.1	111.9	129.7	152.6	184.0	
94	78.4	79.3	80.5	82.2	84.9	89.1	92.7	97.5	105.3	113.2	131.2	154.3	186.0	
95	79.4	80.3	81.5	83.1	85.8	90.1	93.7	98.6	106.4	114.4	132.6	155.9	188.0	
96	80.3	81.2	82.4	84.1	86.8	91.1	94.8	99.7	107.6	115.7	134.0	157.6	190.0	
97	81.2	82.2	83.4	85.1	87.8	92.2	95.8	100.8	108.8	116.9	135.5	159.3	192.0	
98	82.2	83.1	84.3	86.0	88.8	93.2	96.9	101.9	109.9	118.2	136.9	160.9	194.0	
99	83.1	84.1	85.3	87.0	89.8	94.2	97.9	103.0	111.1	119.4	138.3	162.6	196.0	
100	84.1	85.0	86.2	88.0	90.8	95.2	99.0	104.1	112.3	120.6	139.7	164.3	198.0	
	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
N	B													

Table B.1 (Continued)

(Offered Load)		A in Erlangs													
n	P_B														
	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%		
100	69.3	70.9	71.9	73.2	75.2	77.5	78.9	80.0	80.9	81.7	82.4	83.0	83.5		
102	70.9	72.6	73.6	75.0	77.0	79.3	80.7	81.8	82.7	83.5	84.2	84.8	85.4		
104	72.6	74.3	75.3	76.7	78.8	81.1	82.5	83.7	84.6	85.4	86.1	86.7	87.3		
106	74.3	76.0	77.1	78.5	80.5	82.8	84.3	85.5	86.4	87.2	87.9	88.6	89.2		
108	76.0	77.7	78.8	80.2	82.3	84.6	86.2	87.3	88.3	89.1	89.8	90.5	91.1		
110	77.7	79.4	80.5	81.9	84.1	86.4	88.0	89.2	90.1	90.9	91.7	92.3	92.9		
112	79.4	81.1	82.2	83.7	85.8	88.3	89.8	91.0	92.0	92.8	93.5	94.2	94.8		
114	81.1	82.9	84.0	85.4	87.6	90.1	91.6	92.8	93.8	94.7	95.4	96.1	96.7		
116	82.8	84.6	85.7	87.2	89.4	91.9	93.5	94.7	95.7	96.5	97.3	98.0	98.6		
118	84.5	86.3	87.4	89.0	91.2	93.7	95.3	96.5	97.5	98.4	99.2	99.9	100.5		
120	86.2	88.0	89.2	90.7	93.0	95.5	97.1	98.4	99.4	100.3	101.0	101.7	102.4		
122	87.9	89.8	90.9	92.5	94.7	97.3	98.9	100.2	101.2	102.1	102.9	103.6	104.3		
124	89.6	91.5	92.7	94.2	96.5	99.1	100.8	102.1	103.1	104.0	104.8	105.5	106.2		
126	91.3	93.2	94.4	96.0	98.3	100.9	102.6	103.9	105.0	105.9	106.7	107.4	108.1		
128	93.1	95.0	96.2	97.8	100.1	102.7	104.5	105.8	106.8	107.7	108.5	109.3	109.9		
130	94.8	96.7	97.9	99.5	101.9	104.6	106.3	107.6	108.7	109.6	110.4	111.2	111.8		
132	96.5	98.5	99.7	101.3	103.7	106.4	108.1	109.5	110.5	111.5	112.3	113.1	113.7		
134	98.2	100.2	101.4	103.1	105.5	108.2	110.0	111.3	112.4	113.4	114.2	115.0	115.6		
136	100.0	101.9	103.2	104.9	107.3	110.0	111.8	113.2	114.3	115.2	116.1	116.8	117.5		
138	101.7	103.7	105.0	106.6	109.1	111.9	113.7	115.0	116.2	117.1	118.0	118.7	119.4		
140	103.4	105.4	106.7	108.4	110.9	113.7	115.5	116.9	118.0	119.0	119.9	120.6	121.4		
142	105.1	107.2	108.5	110.2	112.7	115.5	117.4	118.7	119.9	120.9	121.8	122.5	123.3		
144	106.9	109.0	110.2	112.0	114.5	117.4	119.2	120.6	121.8	122.8	123.6	124.4	125.2		
146	108.6	110.7	112.0	113.8	116.3	119.2	121.1	122.5	123.6	124.6	125.5	126.3	127.1		
148	110.4	112.5	113.8	115.5	118.1	121.0	122.9	124.3	125.5	126.5	127.4	128.2	129.0		
150	112.1	114.2	115.6	117.3	119.9	122.9	124.8	126.2	127.4	128.4	129.3	130.1	130.9		
152	113.8	116.0	117.3	119.1	121.8	124.7	126.6	128.1	129.3	130.3	131.2	132.0	132.8		
154	115.6	117.8	119.1	120.9	123.6	126.5	128.5	129.9	131.2	132.2	133.1	133.9	134.7		
156	117.3	119.5	120.9	122.7	125.4	128.4	130.3	131.8	133.0	134.1	135.0	135.9	136.6		
158	119.1	121.3	122.7	124.5	127.2	130.2	132.2	133.7	134.9	136.0	136.9	137.8	138.5		
160	120.8	123.1	124.4	126.3	129.0	132.1	134.0	135.6	136.8	137.9	138.8	139.7	140.4		
162	122.6	124.8	126.2	128.1	130.8	133.9	135.9	137.4	138.7	139.8	140.7	141.6	142.4		
164	124.3	126.6	128.0	129.9	132.7	135.8	137.8	139.3	140.6	141.7	142.6	143.5	144.3		
166	126.1	128.4	129.8	131.7	134.5	137.6	139.6	141.2	142.5	143.5	144.5	145.4	146.2		
168	127.9	130.2	131.6	133.5	136.3	139.4	141.5	143.1	144.3	145.4	146.4	147.3	148.1		
170	129.6	131.9	133.4	135.3	138.1	141.3	143.4	144.9	146.2	147.3	148.3	149.2	150.0		
172	131.4	133.7	135.2	137.1	139.9	143.1	145.2	146.8	148.1	149.2	150.2	151.1	151.9		
174	133.1	135.5	136.9	138.9	141.8	145.0	147.1	148.7	150.0	151.1	152.1	153.0	153.9		
176	134.9	137.3	138.7	140.7	143.6	146.9	149.0	150.6	151.9	153.0	154.0	155.0	155.8		
178	136.7	139.0	140.5	142.5	145.4	148.7	150.8	152.4	153.8	154.9	156.0	156.9	157.7		
180	138.4	140.8	142.3	144.3	147.3	150.6	152.7	154.3	155.7	156.8	157.9	158.8	159.6		
182	140.2	142.6	144.1	146.1	149.1	152.4	154.6	156.2	157.6	158.7	159.8	160.7	161.6		
184	142.0	144.4	145.9	147.9	150.9	154.3	156.4	158.1	159.5	160.6	161.7	162.6	163.5		
186	143.7	146.2	147.7	149.8	152.8	156.1	158.3	160.0	161.4	162.5	163.6	164.5	165.4		
188	145.5	148.0	149.5	151.6	154.6	158.0	160.2	161.9	163.3	164.4	165.5	166.5	167.3		
190	147.3	149.8	151.3	153.4	156.4	159.8	162.1	163.8	165.2	166.4	167.4	168.4	169.3		
192	149.1	151.6	153.1	155.2	158.3	161.7	163.9	165.6	167.0	168.3	169.3	170.3	171.2		
194	150.8	153.4	154.9	157.0	160.1	163.6	165.8	167.5	168.9	170.2	171.2	172.2	173.1		
196	152.6	155.2	156.7	158.8	161.9	165.4	167.7	169.4	170.8	172.1	173.2	174.1	175.0		
198	154.4	156.9	158.5	160.7	163.8	167.3	169.6	171.3	172.7	174.0	175.1	176.1	177.0		
200	156.2	158.7	160.3	162.5	165.6	169.2	171.4	173.2	174.6	175.9	177.0	178.0	178.9		
	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%		
N	B														

Table B.1 (Continued)

(Offered Load)		A in Erlangs												
n	P_B													
	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
100	84.1	85.0	86.2	88.0	90.8	95.2	99.0	104.1	112.3	120.6	139.7	164.3	198.0	
102	85.9	86.9	88.1	89.9	92.8	97.3	101.1	106.3	114.6	123.1	142.6	167.6	202.0	
104	87.8	88.8	90.1	91.9	94.8	99.3	103.2	108.5	116.9	125.6	145.4	170.9	206.0	
106	89.7	90.7	92.0	93.8	96.7	101.4	105.3	110.7	119.3	128.1	148.3	174.2	210.0	
108	91.6	92.6	93.9	95.7	98.7	103.4	107.4	112.9	121.6	130.6	151.1	177.6	214.0	
110	93.5	94.5	95.8	97.7	100.7	105.5	109.5	115.1	124.0	133.1	154.0	180.9	218.0	
112	95.4	96.4	97.7	99.6	102.7	107.5	111.7	117.3	126.3	135.6	156.9	184.2	222.0	
114	97.3	98.3	99.7	101.6	104.7	109.6	113.8	119.5	128.6	138.1	159.7	187.6	226.0	
116	99.2	100.2	101.6	103.5	106.7	111.7	115.9	121.7	131.0	140.6	162.6	190.9	230.0	
118	101.1	102.1	103.5	105.5	108.7	113.7	118.0	123.9	133.3	143.1	165.4	194.2	234.0	
120	103.0	104.0	105.4	107.4	110.7	115.8	120.1	126.1	135.7	145.6	168.3	197.6	238.0	
122	104.9	105.9	107.4	109.4	112.6	117.8	122.2	128.3	138.0	148.1	171.1	200.9	242.0	
124	106.8	107.9	109.3	111.3	114.6	119.9	124.4	130.5	140.3	150.6	174.0	204.2	246.0	
126	108.7	109.8	111.2	113.3	116.6	121.9	126.5	132.7	142.7	153.0	176.8	207.6	250.0	
128	110.6	111.7	113.2	115.2	118.6	124.0	128.6	134.9	145.0	155.5	179.7	210.9	254.0	
130	112.5	113.6	115.1	117.2	120.6	126.1	130.7	137.1	147.4	158.0	182.5	214.2	258.0	
132	114.4	115.5	117.0	119.1	122.6	128.1	132.8	139.3	149.7	160.5	185.4	217.6	262.0	
134	116.3	117.4	119.0	121.1	124.6	130.2	134.9	141.5	152.0	163.0	188.3	220.9	266.0	
136	118.2	119.4	120.9	123.1	126.6	132.3	137.1	143.7	154.4	165.5	191.1	224.2	270.0	
138	120.1	121.3	122.8	125.0	128.6	134.3	139.2	145.9	156.7	168.0	194.0	227.6	274.0	
140	122.0	123.2	124.8	127.0	130.6	136.4	141.3	148.1	159.1	170.5	196.8	230.9	278.0	
142	123.9	125.1	126.7	128.9	132.6	138.4	143.4	150.3	161.4	173.0	199.7	234.2	282.0	
144	125.8	127.0	128.6	130.9	134.6	140.5	145.6	152.5	163.8	175.5	202.5	237.6	286.0	
146	127.7	129.0	130.6	132.9	136.6	142.6	147.7	154.7	166.1	178.0	205.4	240.9	290.0	
148	129.7	130.9	132.5	134.8	138.6	144.6	149.8	156.9	168.5	180.5	208.2	244.2	294.0	
150	131.6	132.8	134.5	136.8	140.6	146.7	151.9	159.1	170.8	183.0	211.1	247.6	298.0	
152	133.5	134.8	136.4	138.8	142.6	148.8	154.0	161.3	173.1	185.5	214.0	250.9	302.0	
154	135.4	136.7	138.4	140.7	144.6	150.8	156.2	163.5	175.5	188.0	216.8	254.2	306.0	
156	137.3	138.6	140.3	142.7	146.6	152.9	158.3	165.7	177.8	190.5	219.7	257.6	310.0	
158	139.2	140.5	142.3	144.7	148.6	155.0	160.4	167.9	180.2	193.0	222.5	260.9	314.0	
160	141.2	142.5	144.2	146.6	150.6	157.0	162.5	170.2	182.5	195.5	225.4	264.2	318.0	
162	143.1	144.4	146.1	148.6	152.7	159.1	164.7	172.4	184.9	198.0	228.2	267.6	322.0	
164	145.0	146.3	148.1	150.6	154.7	161.2	166.8	174.6	187.2	200.4	231.1	270.9	326.0	
166	146.9	148.3	150.0	152.0	156.7	163.3	168.9	176.8	189.6	202.9	233.9	274.2	330.0	
168	148.9	150.2	152.0	154.5	158.7	165.3	171.0	179.0	191.9	205.4	236.8	277.6	334.0	
170	150.8	152.1	153.9	156.5	160.7	167.4	173.2	181.2	194.2	207.9	239.7	280.9	338.0	
172	152.7	154.1	155.9	158.5	162.7	169.5	175.3	183.4	196.6	210.4	242.5	284.2	342.0	
174	154.6	156.0	157.8	160.4	164.7	171.5	177.4	185.6	198.9	212.9	245.4	287.6	346.0	
176	156.6	158.0	159.8	162.4	166.7	173.6	179.6	187.8	201.3	215.4	248.2	290.9	350.0	
178	158.5	159.9	161.8	164.4	168.7	175.7	181.7	190.0	203.6	217.9	251.1	294.2	354.0	
180	160.4	161.8	163.7	166.4	170.7	177.8	183.8	192.2	206.0	220.4	253.9	297.5	358.0	
182	162.3	163.8	165.7	168.3	172.8	179.8	185.9	194.4	208.3	222.9	256.8	300.9	362.0	
184	164.3	165.7	167.6	170.3	174.8	181.9	188.1	196.6	210.7	225.4	259.6	304.2	366.0	
186	166.2	167.7	169.6	172.3	176.8	184.0	190.2	198.9	213.0	227.9	262.5	307.5	370.0	
188	168.1	169.6	171.5	174.3	178.8	186.1	192.3	201.1	215.4	230.4	265.4	310.9	374.0	
190	170.1	171.5	173.5	176.5	180.8	188.1	194.5	203.3	217.7	232.9	268.2	314.2	378.0	
192	172.0	173.5	175.4	178.2	182.8	190.2	196.6	205.5	220.1	235.4	271.1	317.5	382.0	
194	173.9	175.4	177.4	180.2	184.8	192.3	198.7	207.7	222.4	237.9	273.9	320.9	386.0	
196	175.9	177.4	179.4	182.2	186.9	194.4	200.8	209.9	224.8	240.4	276.8	324.2	390.0	
198	177.8	179.3	181.3	184.2	188.9	196.4	203.0	212.1	227.1	242.9	279.6	327.5	394.0	
200	179.7	181.3	183.3	186.2	190.9	198.5	205.1	214.3	229.4	245.4	282.5	330.9	398.0	
	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
N	B													

Table B.1 (Continued)

(Offered Load)		A in Erlangs													
n	P_B														
	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%		
200	156.2	158.7	160.3	162.5	165.6	169.2	171.4	173.2	174.6	175.9	177.0	178.0	178.9		
202	158.0	160.5	162.1	164.3	167.5	171.0	173.3	175.1	176.5	177.8	178.9	179.9	180.8		
204	159.7	162.3	164.0	166.1	169.3	172.9	175.2	177.0	178.4	179.7	180.8	181.8	182.8		
206	161.5	164.1	165.8	167.9	171.2	174.8	177.1	178.9	180.4	181.6	182.7	183.8	184.7		
208	163.3	165.9	167.6	169.8	173.0	176.6	179.0	180.8	182.3	183.5	184.7	185.7	186.6		
210	165.1	167.7	169.4	171.6	174.8	178.5	180.9	182.7	184.2	185.4	186.6	187.6	188.6		
212	166.9	169.5	171.2	173.4	176.7	180.4	182.7	184.6	186.1	187.4	188.5	189.5	190.5		
214	168.7	171.3	173.0	175.2	178.5	182.2	184.6	186.5	188.0	189.3	190.4	191.5	192.4		
216	170.5	173.2	174.8	177.1	180.4	184.1	186.5	188.4	189.9	191.2	192.3	193.4	194.4		
218	172.3	175.0	176.6	178.9	182.2	186.0	188.4	190.2	191.8	193.1	194.3	195.3	196.3		
220	174.0	176.8	178.5	180.7	184.1	187.8	190.3	192.1	193.7	195.0	196.2	197.2	198.2		
222	175.8	178.6	180.3	182.6	185.9	189.7	192.2	194.0	195.6	196.9	198.1	199.2	200.2		
224	177.6	180.4	182.1	184.4	187.8	191.6	194.1	195.9	197.5	198.8	200.0	201.1	202.1		
226	179.4	182.2	183.9	186.2	189.6	193.5	195.9	197.8	199.4	200.8	202.0	203.0	204.0		
228	181.2	184.0	185.7	188.1	191.5	195.3	197.8	199.7	201.3	202.7	203.9	205.0	206.0		
230	183.0	185.8	187.6	189.9	193.3	197.2	199.7	201.6	203.2	204.6	205.8	206.9	207.9		
232	184.8	187.6	189.4	191.7	195.2	199.1	201.6	203.5	205.1	206.5	207.7	208.8	209.8		
234	186.6	189.4	191.2	193.6	197.1	201.0	203.5	205.4	207.1	208.4	209.7	210.8	211.8		
236	188.4	191.3	193.0	195.4	198.9	202.8	205.4	207.4	209.0	210.4	211.6	212.7	213.7		
238	190.2	193.1	194.9	197.2	200.8	204.7	207.3	209.3	210.9	212.3	213.5	214.6	215.7		
240	192.0	194.9	196.7	199.1	202.6	206.6	209.2	211.2	212.8	214.2	215.4	216.6	217.6		
242	193.8	196.7	198.5	200.9	204.5	208.5	211.1	213.1	214.7	216.1	217.4	218.5	219.5		
244	195.6	198.5	200.3	202.8	206.3	210.4	213.0	215.0	216.6	218.0	219.3	220.4	221.5		
246	197.4	200.3	202.2	204.6	208.2	212.2	214.9	216.9	218.5	220.0	221.2	222.4	223.4		
248	199.2	202.2	204.0	206.4	210.1	214.1	216.8	218.8	220.4	221.9	223.2	224.3	225.4		
250	201.0	204.0	205.8	208.3	211.9	216.0	218.7	220.7	222.4	223.8	225.1	226.2	227.3		
	0.908	0.914	0.920	0.926	0.934	0.944	0.950	0.956	0.960	0.964	0.968	0.972	0.974		
300	246.4	249.7	251.8	254.6	258.6	263.2	266.2	268.5	270.4	272.0	273.5	274.8	276.0		
	0.918	0.924	0.928	0.932	0.942	0.952	0.958	0.962	0.966	0.970	0.972	0.976	0.978		
350	292.3	295.9	298.2	301.2	305.7	310.8	314.1	316.6	318.7	320.5	322.1	323.6	324.9		
	0.922	0.928	0.932	0.938	0.946	0.954	0.960	0.966	0.970	0.972	0.976	0.978	0.982		
400	338.4	342.3	344.8	348.1	353.0	358.5	362.1	364.9	367.2	369.1	370.9	372.5	374.0		
	0.928	0.934	0.938	0.942	0.950	0.958	0.964	0.968	0.972	0.976	0.978	0.982	0.984		
450	384.8	389.0	391.7	395.2	400.5	406.4	410.3	413.3	415.8	417.9	419.8	421.6	423.2		
	0.932	0.938	0.942	0.946	0.954	0.962	0.968	0.972	0.974	0.978	0.982	0.982	0.984		
500	431.4	435.9	438.8	442.5	448.2	454.5	458.7	461.9	464.5	466.8	468.9	470.7	472.4		
	0.938	0.943	0.946	0.951	0.957	0.965	0.970	0.974	0.978	0.981	0.983	0.986	0.989		
600	525.2	530.2	533.4	537.6	543.9	551.0	555.7	559.3	562.3	564.9	567.2	569.3	571.3		
	0.943	0.948	0.951	0.956	0.962	0.969	0.974	0.978	0.981	0.984	0.986	0.989	0.990		
700	619.5	625.0	628.5	633.2	640.1	647.9	653.1	657.1	660.4	663.3	665.8	668.2	670.3		
	0.948	0.953	0.955	0.959	0.965	0.972	0.976	0.980	0.983	0.985	0.989	0.990	0.993		
800	714.3	720.3	724.0	729.1	736.6	745.1	750.7	755.1	758.7	761.8	764.7	767.2	769.6		
	0.951	0.955	0.959	0.962	0.967	0.974	0.979	0.982	0.985	0.988	0.990	0.993	0.994		
900	809.4	815.8	819.9	825.3	833.3	842.5	848.6	853.3	857.2	860.6	863.7	866.5	869.0		
	0.954	0.959	0.961	0.964	0.970	0.976	0.980	0.984	0.987	0.989	0.991	0.993	0.996		
1000	904.8	911.7	916.0	921.7	930.3	940.1	946.6	951.7	955.9	959.5	962.8	965.8	968.6		
	0.962	0.963	0.960	0.963	0.977	0.979	0.984	0.983	0.991	0.995	0.992	0.992	0.994		
1100	1001.	1008.	1012.	1018.	1028.	1038.	1045.	1050.	1055.	1059.	1062.	1065.	1068.		
N	0.01%	0.02%	0.03%	0.05%	0.1%	0.2%	0.3%	0.4%	0.5%	0.6%	0.7%	0.8%	0.9%		
	B														

Table B.1 (Continued)

<i>n</i>	(Offered Load)													
	A in Erlangs													
	P_B													
	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
200	179.7	181.3	183.3	186.2	190.9	198.5	205.1	214.3	229.4	245.4	282.5	330.9	398.0	
202	181.7	183.2	185.2	188.1	192.9	200.6	207.2	216.5	231.8	247.9	285.4	334.2	402.0	
204	183.6	185.2	187.2	190.1	194.9	202.7	209.4	218.7	234.1	250.4	288.2	337.5	406.0	
206	185.5	187.1	189.2	192.1	196.9	204.7	211.5	221.0	236.5	252.9	291.1	340.9	410.0	
208	187.5	189.1	191.1	194.1	199.0	206.8	213.6	223.2	238.8	255.4	293.9	344.2	414.0	
210	189.4	191.0	193.1	196.1	201.0	208.9	215.8	225.4	241.2	257.9	296.8	347.5	418.0	
212	191.4	193.0	195.1	198.1	203.0	211.0	217.9	227.6	243.5	260.4	299.6	350.9	422.0	
214	193.3	194.9	197.0	200.0	205.0	213.0	220.0	229.8	245.9	262.9	302.5	354.2	426.0	
216	195.2	196.9	199.0	202.0	207.0	215.1	222.2	232.0	248.2	265.4	305.3	357.5	430.0	
218	197.2	198.8	201.0	204.0	209.1	217.2	224.3	234.2	250.6	267.9	308.2	360.9	434.0	
220	199.1	200.8	202.9	206.0	211.1	219.3	226.4	236.4	252.9	270.4	311.1	364.2	438.0	
222	201.1	202.7	204.9	208.0	213.1	221.4	228.6	238.6	255.3	272.9	313.9	367.5	442.0	
224	203.0	204.7	206.8	210.0	215.1	223.4	230.7	240.9	257.6	275.4	316.8	370.9	446.0	
226	204.9	206.6	208.8	212.0	217.1	225.5	232.8	243.1	260.0	277.8	319.6	374.2	450.0	
228	206.9	208.6	210.8	213.9	219.2	227.6	235.0	245.3	262.3	280.3	322.5	377.5	454.0	
230	208.8	210.5	212.8	215.9	221.2	229.7	237.1	247.5	264.7	282.8	325.3	380.9	458.0	
232	210.8	212.5	214.7	217.9	223.2	231.8	239.2	249.7	267.0	285.3	328.2	384.2	462.0	
234	212.7	214.4	216.7	219.9	225.2	233.8	241.4	251.9	269.4	287.8	331.1	387.5	466.0	
236	214.7	216.4	218.7	221.9	227.2	235.9	243.5	254.1	271.7	290.3	333.9	390.9	470.0	
238	216.6	218.3	220.6	223.9	229.3	238.0	245.6	256.3	274.1	292.8	336.8	394.2	474.0	
240	218.6	220.3	222.6	225.9	231.3	240.1	247.8	258.6	276.4	295.3	339.6	397.5	478.0	
242	220.5	222.3	224.6	227.9	233.3	242.2	249.9	260.8	278.8	297.8	342.5	400.9	482.0	
244	222.5	224.2	226.5	229.9	235.3	244.3	252.0	263.0	281.1	300.3	345.3	404.2	486.0	
246	224.4	226.2	228.5	231.8	237.4	246.3	254.2	265.2	283.4	302.8	348.2	407.5	490.0	
248	226.3	228.1	230.5	233.8	239.4	248.4	256.3	267.4	285.8	305.3	351.0	410.9	494.0	
250	228.3	230.1	232.5	235.8	241.4	250.5	258.4	269.6	288.1	307.8	353.9	414.2	498.0	
	0.976	0.982	0.988	0.998	1.014	1.042	1.070	1.108	1.176	1.250	1.428	1.666	2.000	
300	277.1	279.2	281.9	285.7	292.1	302.6	311.9	325.0	346.9	370.3	425.3	497.5	598.0	
	0.982	0.984	0.990	1.000	1.016	1.044	1.070	1.108	1.174	1.248	1.428	1.668	2.000	
350	326.2	328.4	331.4	335.7	342.9	354.8	365.4	380.4	405.6	432.7	496.7	580.9	698.0	
	0.982	0.988	0.994	1.004	1.020	1.046	1.070	1.108	1.176	1.250	1.430	1.666	2.000	
400	375.3	377.8	381.1	385.9	393.9	407.1	418.9	435.8	464.4	495.2	568.2	664.2	798.0	
	0.986	0.990	0.996	1.004	1.018	1.046	1.072	1.110	1.176	1.250	1.428	1.666	2.000	
450	424.6	427.3	430.9	436.1	444.8	459.4	472.5	491.3	523.2	557.7	639.6	747.5	898.0	
	0.988	0.994	0.998	1.006	1.022	1.048	1.070	1.108	1.176	1.250	1.428	1.668	2.000	
500	474.0	477.0	480.8	486.4	495.9	511.8	526.0	546.7	582.0	620.2	711.0	830.9	998.0	
	0.991	0.994	1.000	1.008	1.022	1.047	1.073	1.110	1.176	1.249	1.429	1.666	2.000	
600	573.1	576.4	580.8	587.2	598.1	616.5	633.3	657.7	699.6	745.1	853.9	997.5	1198.	
	0.993	0.997	1.002	1.010	1.024	1.049	1.073	1.110	1.176	1.250	1.428	1.665	2.00	
700	672.4	676.1	681.0	688.2	700.5	721.4	740.6	768.7	817.2	870.1	996.7	1164.	1398.	
	0.994	0.998	1.004	1.011	1.025	1.050	1.073	1.110	1.176	1.250	1.433	1.67	2.00	
800	771.8	775.9	781.4	789.3	803.0	826.4	847.9	879.7	934.8	995.1	1140.	1331.	1598.	
	0.997	1.000	1.004	1.013	1.025	1.050	1.074	1.111	1.172	1.249	1.42	1.67	2.00	
900	871.5	875.9	881.8	890.6	905.5	931.4	955.3	990.8	1052.	1120.	1282.	1498.	1798.	
	0.997	1.001	1.006	1.013	1.025	1.046	1.077	1.112	1.18	1.25	1.43	1.66	2.00	
1000	971.2	976.0	982.4	991.9	1008.	1036.	1063.	1102.	1170.	1245.	1425.	1664.	1998.	
	0.998	1.000	1.006	1.011	1.03	1.05	1.07	1.11	1.18	1.25	1.43	1.67	2.00	
1100	1071.	1076.	1083.	1093.	1111.	1141.	1170.	1213.	1288.	1370.	1568.	1831.	2198.	
N	1.0%	1.2%	1.5%	2%	3%	5%	7%	10%	15%	20%	30%	40%	50%	
	B													